



# King Bed

## Assembly Instructions

WII-0419

### 1 Assembled View



**Note:** Do not assemble using power tools. This can cause the bolts to be overtightened


### 2 Parts List




**A** Headboard Panel x 1



**B** Footboard Panel x 1



**C** Side Rail x 2



**D** Long Support x 2




**E** Support Leg x 6



**F** Post (Left hand) x 2



**G** Post (Right hand) x 2




**H** Set of Bed Slats x 1


### 3 Hardware List




**1** M4 Allen Key x 1



**2** Center Rail Bracket x 4



**3** Adjustable Foot x 6



**4** Wood Screw (M4 x 32mm) x 22



**5** Wood Dowel (10 x 40mm) x 4



**6** Barrel Nut x 14



**7** Spring Washer x 14



**8** Flat Washer x 14



**9** M6 x 15mm JCB x 8



**10** M6 x 20mm JCB x 8



**11** M6 x 40mm JCB x 28




**12** M6 x 90mm JCB x 14

# King Bed


## Assembly Instructions

WII-0419

- 4** Assembled the Support Leg (E) to the Long Support (D).



- 5** Fit the Center Rail Bracket to the Headboard Panel (A). Assemble the Headboard Panel (A) to Post (F/G), using Wood Screw 32mm (4).




# King Bed


## Assembly Instructions

WII-0419

### 6 Fit the Center Rail Bracket to the Footboard Panel (B).



### 7 Assemble the Side Rail (C) to the Headboard and Footboard Panel (A & B).




# King Bed


## Assembly Instructions

W11-0419

- 8 Bolt the Long Support (D) to the Center Rail Brackets (2) on the Headboard and Footboard Panel (A & B).**



- 9 Bolt & screw the Bed Slats (H) to the Side Rail (C).**




# King Headboard


## Assembly Instructions

WII-0419

### 1 Parts List




**A** Headboard Panel x 1



**B**  
Support Bar  
x 2




**C**  
Mini Support  
x 2



**Note:** Do not assemble using power tools. This can cause the bolts to be overtightened


### 2 Hardware List




**1** M6 x 35mm JCB  
x 4



**2** Spring Washer  
x 4





**3** Flat Washer  
x 4



**4** Allen Key  
x 1

### 3 Fit the Mini Support (C) to the Headboard.




**Note:** Bolts from Footboard, Rails & Slats Box.

# King Headboard

## Assembly Instructions

WII-0419

### 4 Assemble the Support Bars (B) to the Mini Support (C).



✓ Footboard, Rails & Slats are packed in separate Boxes with Bolts.

Note: Bolts & Washers from Footboard, Rails & Slats Box.

### 5 Assemble the Headboard Panel (A) to the Support Bars (B).

