

Read this instruction carefully. See hardware and furniture part list for guidance. Be sure all parts are complete, before you assemble. Place all wooden furniture parts on a clean and flat soft surface to prevent from being scratched. Follow the figure to start assembling.

CAUTIONS : 1. Do not FULLY - TIGHTEN the nut or nut bolt until all nut or bolt is ready assembled.
2. Do not OVER - TIGHTEN the nut or bolt to avoid causing damages to the thread.
3. Keep all hardware parts out of reach of children.

NOTE : THE LIST AND QUANTITY SHOWN ARE FOR 1 UNIT ASSEMBLY.



Tool needed : Screwdriver (not provider).

PART LIST			
ITEM	DESCRIPTION	BOX	QTY
A	HEADBOARD	1	1 PC
B	HEADBOARD PANEL	1	2 PCS
C	FOOTBOARD	2	1 PC
D	SIDE RAIL	2	2 PCS
E	CENTER RAIL	2	1 PC
F	CENTER SUPPORT LEG	2	3 PCS
G	BED SLAT	4	1 SET
H	BED LEG	3	2 PCS

HARDWARE LIST (BOX : 2)		
ITEM	DESCRIPTION	QTY
1	JCBC BOLT M6 x 20mm 	8 PCS
2	JCBC BOLT M6 x 40mm 	1 PC
3	JCBB BOLT M8 x 30mm 	16 PCS
4	JCBB BOLT M8 x 40mm 	3 PCS
5	M6 FLAT WASHER 	8 PCS
6	M6 SPRING WASHER 	8 PCS
7	M8 FLAT WASHER 	19 PCS
8	M8 SPRING WASHER 	16 PCS
9	VMB 3172 	2 PCS
10	WOOD SCREW M4 X 20mm 	1 PC
11	WOOD SCREW M4 X 38mm 	14 PCS
12	M4 ALLEN KEY (BALL SHAPE) 	1 PC
13	M5 ALLEN KEY (BALL SHAPE) 	1 PC

STEP 1


Take out **HEADBOARD PANEL (B)** & **VMB3172 (9)** for the **HEADBOARD BACK (A)**.




ASSEMBLY INSTRUCTIONS

2 OF 4


STEP 2




STEP 3



STEP 4




STEP 5




ASSEMBLY INSTRUCTIONS

3 OF 4

STEP 6




STEP 7





ASSEMBLY INSTRUCTIONS

4 OF 4


STEP 8




STEP 9





Note: Make sure the sticker
"-> HEADBOARD" faced to
headboard [A]




STEP 10 **Finish step 10, Please screw tight the step 5 bolts.



x8



Note: Make sure the sticker
"-> HEADBOARD" faced to
headboard [A]



*** When moving the bed position, the center support legs
must be adjust to be straight to avoid any broken problem.**